

注意：

允許學生個人、非營利性的圖書館或公立學校合理使用本基金會網站所提供之各項試題及其解答。可直接下載而不須申請。

重版、系統地複製或大量重製這些資料的任何部分，必須獲得財團法人臺北市九章數學教育基金會的授權許可。

申請此項授權請電郵 ccmp@seed.net.tw

Notice:

Individual students, nonprofit libraries, or schools are permitted to make fair use of the papers and its solutions. Republication, systematic copying, or multiple reproduction of any part of this material is permitted only under license from the Chiuchang Mathematics Foundation.


Requests for such permission should be made by e-mailing Mr. Wen-Hsien SUN ccmp@seed.net.tw

**INTERNATIONL MATHENATICS AND SCIENCE OLYMPIAD
FOR PRIMARY SCHOOLS (IMSO) 2005**
Mathematics Contest in Taiwan, Exploration Problems

Name: _____ School: _____ Grade: _____ ID number: _____

Answer the following 5 questions, and show your detailed solution in the answer sheet. Write down the question number in each paper. Each question is worth 8 points. Time limit: 60 minutes.

1. A pattern of hexagons is made from sticks, as shown below.



If there are 200 sticks used, how many hexagons have been formed?

Solution:

From above observation, we can get the following fact: if there are k column of hexagons be formed, than there has $1 + 2 + 3 + \cdots + (k - 1) + k = \frac{k(k + 1)}{2}$

hexagons and thus we need $\frac{3k(k + 3)}{2}$ sticks.

When $k=10$, we know that $\frac{3k(k+3)}{2} = 195$ and there 55 hexagons can be

formed. Since $200 - 195 = 5$, there one more hexagon can be formed. Hence, there 56 hexagons can be formed by using 200 sticks.

2. If you have \$1, \$2, \$5, \$10 coins, in how many ways can you make up \$50?

Solution:

Consider the different ways using \$10, then for each of those the number of ways we can combine with \$5 and \$2 and this will then fix the number of \$1 coins to make \$50.

\$10	\$5	\$2	\$1	ways
5	0	0	0	1
4	2	0	0	1
4	1	2,1,0	remainder	3
4	0	5,4,3,2,1,0	remainder	6
3	4	0	0	1
3	3	2,1,0	remainder	3
3	2	5,4,3,2,1,0	remainder	6
3	1	7,6,5,4,3,2,1,0	remainder	8
3	0	10,9,8,7,6,5,4,3,2,1,0	remainder	11
2	6	0	0	1
2	5	2,1,0	remainder	3
2	4	5,4,3,2,1,0	remainder	6
2	3	7,6,5,4,3,2,1,0	remainder	8
2	2	10,9,8,7,6,5,4,3,2,1,0	remainder	11
2	1	12,11,10,9,8,7, 6,5,4,3,2,1,0	remainder	13
2	0	15,14,13,12,11,10,9, 8,7,6,5,4,3,2,1,0	remainder	16
1	8	0	0	1
1	7	2,1,0	remainder	3
1	6	5,4,3,2,1,0	remainder	6
1	5	7,6,5,4,3,2,1,0	remainder	8
1	4	10,9,8,7,6,5,4,3,2,1,0	remainder	11
1	3	12,11,10,9,8,7, 6,5,4,3,2,1,0	remainder	13
1	2	15,14,13,12,11,10,9, 8,7,6,5,4,3,2,1,0	remainder	16
1	1	17,16,15,14,13,12,11,10, 9,8,7,6,5,4,3,2,1,0	remainder	18
1	0	20,19,18,17,16,15,14,13,12, 11,10,9,8,7,6,5,4,3,2,1,0	remainder	21
0	10	0	0	1

0	9	2,1,0	remainder	3
0	8	5,4,3,2,1,0	remainder	6
0	7	7,6,5,4,3,2,1,0	remainder	8
0	6	10,9,8,7,6,5,4,3,2,1,0	remainder	11
0	5	12,11,10,9,8,7, 6,5,4,3,2,1,0	remainder	13
0	4	15,14,13,12,11,10,9, 8,7,6,5,4,3,2,1,0	remainder	16
0	3	17,16,15,14,13,12,11,10, 9,8,7,6,5,4,3,2,1,0	remainder	18
0	2	20,19,18,17,16,15,14,13,12, 11,10,9,8,7,6,5,4,3,2,1,0	remainder	21
0	1	22,21,20,19,18,17,16,15, 14,13,12,11,10,9,8, 7,6,5,4,3,2,1,0	remainder	23
0	0	25,24,23,22,20,19,18,17, 16,15,14,13,12,11,10,9, 8,7,6,5,4,3,2,1,0	remainder	26

Hence the total ways is

$$1 \times 6 + 3 \times 5 + 6 \times 5 + 8 \times 4 + 11 \times 4 + 13 \times 3 + 16 \times 3 + 18 \times 2 + 21 \times 2 + 23 \times 1 + 26 \times 1 = 341.$$

3. Locate digits from 1 to 7 into each row and each column of the grid once.
Numbers on the circles tell the product of the four digits around them.

Example:

1	2	3	4
4	1	2	3
2	3	4	1
3	4	1	2

			168		24
		120			
192		60		105	
			120		
36					
	20		84		

Solution:

5	7	3	4	6	2	1
			168		24	
3	5	4	1	7	6	2
		120				
2	4	6	5	3	1	7
192		60		105		
4	6	1	2	5	7	3
			120			
1	3	7	6	2	4	5
	36					
6	2	5	7	1	3	4
		20		84		
7	1	2	3	4	5	6

4. The Fibonacci numbers are

$$F_1=1, F_2=1, F_3=2, F_4=3, F_5=5, F_6=8, F_7=13, \dots$$

where the first two are both equal to 1, and from then on, each one is the sum of the two preceding it. What is the last digit of the sum of the first 2005 Fibonacci numbers?

Solution:

The last digits of the first 60 Fibonacci numbers are:

1, 1, 2, 3, 5, 8, 3, 1, 4, 5,
 9, 4, 3, 7, 0, 7, 7, 4, 1, 5,
 6, 1, 7, 8, 5, 3, 8, 1, 9, 0,
 9, 9, 8, 7, 5, 2, 7, 9, 6, 5,
 1, 6, 7, 3, 0, 3, 3, 6, 9, 5,
 4, 9, 3, 2, 5, 7, 2, 9, 1, 0.

After which the whole sequence repeats.


Counting the sum of those last digit, we get 0 as its last digit in the complete cycle of 60.

Now, $2005=33 \times 60 + 25$, so the last digit of the sum of the last 25 Fibonacci numbers is

$$1+1+2+3+5+8+3+1+4+5+9+4+3+7+0+7+7+4+1+5+6+1+7+8+5.$$

So the solution is **7**.

5. Four darts are thrown at the dartboard illustrated on the right. The four scores are added together, a miss counted as zero. What is the smallest positive total score which is impossible to obtain?



Solution:

Every positive score up to 52 can be obtained:

1=0+0+0+1,	2=0+0+1+1,	3=0+1+1+1,	4=0+0+0+4,
5=0+0+1+4,	6=0+1+1+4,	7=1+1+1+4,	8=0+0+4+4,
9=0+0+0+9,	10=0+0+1+9,	11=0+1+1+9,	12=0+4+4+4,
13=1+4+4+4,	14=0+1+4+9,	15=1+1+4+9,	16=0+0+0+16,
17=0+0+1+16,	18=0+1+1+16,	19=1+1+1+16,	20=0+0+4+16,
21=0+1+4+16,	22=1+1+4+16,	23=1+4+9+9,	24=0+4+4+16,
25=0+0+0+25,	26=0+0+1+25,	27=0+1+1+25,	28=1+1+1+25,
29=0+0+4+25,	30=0+1+4+25,	31=1+1+4+25,	32=0+0+16+16,
33=0+1+16+16,	34=1+1+16+16,	35=0+1+9+25,	36=9+9+9+9,
37=4+4+4+25,	38=0+4+9+25,	39=1+4+9+25,	40=4+4+16+16,
41=0+9+16+16,	42=0+1+16+25,	43=1+1+16+25,	44=1+9+9+25,
45=0+4+16+25,	46=1+4+16+25,	47=4+9+9+35,	48=0+16+16+16,
49=1+16+16+16,	50=0+0+25+25,	51=0+1+25+25,	52=1+1+25+25.

But 53 cannot be obtained. The reason is as following:

Assume $53=25a+16b+9c+4d+e$, where a, b, c, d and e are non-negative integers and $a+b+c+d+e=4$. Thus the possible values of a are 0, 1 or 2.

First, when $a=0$, $b \neq 4$ since $16 \times 4 = 64 > 53$. If $b=3$, then $53 - 3 \times 16 = 5$ and there is no 5. If $b \leq 2$, then the maximal score we can get is $16 \times 2 + 9 \times 2 = 50$ which is less than 53. So it is impossible to get score 53.

Next, when $a=1$, $b \leq 1$ since $16 \times 2 = 32 > 28 = 53 - 25$. As $b=1$, we can not get score 12 by choosing two of 9, 4 and 1. If $b=0$, then the maximal score we can get is $25 + 9 \times 3 = 52$ which is smaller than 53. So it is also impossible to get score 53.

Finally, if $a=2$, then the maximal score we can get is 52 since $b=c=d=0$ and hence $e=2$. So it is still impossible to get score 53.

From above discussion, we know that 53 is the smallest number.